

CERTIFICATE

(1) Type Examination

(2) **Product intended for use in potentially explosive atmospheres - Directive 2014/34/EU**

(3) Type Examination Certificate Number: **DEKRA 13ATEX0136X**

Issue Number: **2**

(4) Product: **Backplane Type 7000 Series**

(5) Manufacturer: **PRElectronics A/S**

(6) Address: **Lerbakken 10, 8410 Rønede, Denmark**

(7) This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) DEKRA Certification B.V., certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014.

The examination and test results are recorded in confidential test report mentioned in item (16).

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN IEC 60079-0 : 2018

EN 60079-7 : 2015 + A1 : 2018

EN IEC 60079-15 : 2019

except in respect of those requirements listed at item 18 of the Schedule.

(10) If the sign "X" is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.

(11) This Type Examination Certificate relates only to the design and construction of the specified product and not to the manufacturing process and its monitoring.

(12) The marking of the product shall include the following:



II 3 G

Ex ec nC IIC T4 Gc

Date of certification: 10 July 2024

DEKRA Certification B.V.

R. Schuller
Certification Manager

(13) **SCHEDULE**

(14) **to Type Examination Certificate DEKRA 13ATEX0136X**

Issue No. 2

(15) **Description**

Backplane Type 7000 Series for PR system 9000 modules.

For type code, ambient temperature range and temperature class of the modules see Annex 1 to test report mentioned in item (16).

Electrical data

For electrical data of the supply and the input and output circuits, see Annex 1 to test report mentioned in item (16).

Installation instructions

The instructions provided with the product shall be followed in detail to assure safe operation.

(16) **Report Number**

No. NL/DEK/ExTR13.0043/01.

(17) **Specific conditions of use**

1. The equipment shall only be used in an area of not more than pollution degree 2, as defined in EN 60664-1.
2. The modules shall be installed in a suitable enclosure providing a degree of protection of at least IP54 according to EN IEC 60079-0, taking into account the environmental conditions under which the equipment will be used.

(18) **Essential Health and Safety Requirements**

Covered by the standards listed at item (9).

(19) **Test documentation**

As listed in test report number mentioned in item (16).

**Annex 1 to NL/DEK/ExTR13.0043/01 and
IECEX DEK 13.0044X**

Table 1

Description	Type No.	Temp. code	Ambient Range	Technical Data	Supply Volt.
Backplane	7908-xxxx	T4	-20 °C to +60 °C	max. 30 W	20 ... 31.2 Vdc
Backplane	7916-xxxx	T4	-20 °C to +60 °C	max. 60 W	20 ... 31.2 Vdc